



**Heating & Cooling Systems** 

PRODUCT FAMILY BROCHURE


















## WHY BRYANT?

Our ductless solutions allow you to provide efficiency, performance and innovation—all in a feature-rich system.

#### HIGH EFFICIENCY



With efficiency ratings of up to 28.5 SEER2 and 18.0 HSPF2 and ENERGY STAR® certifications on several ductless models, our Bryant® ductless systems provide improved temperature regulation and increased energy and cost savings.

#### QUALITY PERFORMANCE




Our solutions deliver quality performance across a broad range of temperatures for year-round comfort control. Our ductless systems can heat in temperatures as low as -22° F and cool in those as high as 122° F.

## COOL INNOVATION



Our constant innovation allows us to create high-performing ductless solutions that keep all users in mind. Customers can enjoy personalized control and reliability with individual remote controls and the Bryant ControlBox App for a full home or single room.





The Bryant ControlBox App is available from the App Store® and Google Play.™ Features are intuitive and easy to navigate.

## **We're Here to Support You and Your Customers**

At Bryant, we understand that your customers expect more comfort, control and performance from their HVAC system. We are committed to providing you with what you need to be successful and exceed these expectations, every time.

No matter the challenge, no matter the space, Bryant ductless is the HVAC solution your customers have been looking for.

Visit the <u>Bryant Rebate Center</u> to see eligible products and incentives for your area.

# PROVIDE MORE VALUE WITH DUCTLESS


To help you stay competitive and successful, Bryant offers a family of flexible ductless solutions that fit a range of needs. Extremely efficient and high-performing, these systems help solve your customers' biggest heating and cooling challenges.

# Versatile HVAC Systems for Endless Comfort

**Possibilities** 

Ductless systems are unique, generating climate-controlled air without the use of traditional ductwork. Compact and sleek, they can be used in single or multiple zones to create endless possibilities for personalized HVAC systems.

Ductless indoor units integrate neatly into a space. They're installed in the least obtrusive but most effective area to quietly direct air to every corner of the room. And the indoor unit(s) simply connects to the outdoor unit with a hidden conduit.



### SINGLE ZONE RESIDENTIAL



9-18k BTUh

Up to **28.5 SEER2** 


Up to **18.0 HSPF2** 



38MPRB Outdoor Unit SIZES: 09/12/18



619PHB High Wall SIZES: 09/12



**619PHB High Wall** SIZE: 18





#### **KEY FEATURES**

- + All systems with ENERGY STAR® certification
- + Built-in occupancy sensor
- Built-in Wi-Fi® for smart phone control
- + Humidity control
- + High-heating capability
- (+) Built-in basepan heater
- + 24V Interface Kit compatibility



9-36k BTUh

Up to **21.7 SEER2** 

Up to **9.4 HSPF2** 



**38MHRCQ Outdoor Unit**Heat Pump
SIZES: 09/12/18/24/30/36



**40MHHAQ High Wall** Heat Pump SIZES: 09/12/18/24/30/36



38MHRDC Outdoor Unit Cooling Only SIZES: 09/12/18/24



40MHHAC High Wall Cooling Only SIZES: 09/12/18/24



#### **KEY FEATURES**

- + Cooling only and heat pump
- + Simplified maintenance
- Optional Wi-Fi® for smart phone control
- + Advanced service features
- + Built-in basepan heater
- 24V Interface Kit compatibility



6-36k BTUh

Up to **28.1 SEER2** 

Up to **13.6 HSPF2** 



**38MARB Outdoor Unit** SIZES: 06/09/12/18/24/30/36



**40MBDQ Ducted** SIZES: 09/12/18/24




**40MBDAQ** High Static Slim Ducted SIZES: 09/12/18/24



**40MBCQ Cassette** SIZES: 09/12/18



**40MBCAQ Cassette** SIZE: 24



**619AHB High Wall** SIZES: 06/09/12/18/24/30/36



**40MCCAQ One-Way Cassette** SIZES: 06/09 OR 12/18



**40MBFAQ Floor Console** SIZE: 12



**40MBFQ Console** SIZES: 18/24



**40MBAB Air Handler** SIZES: 18/24/30/36



RGYSTAR

#### **KEY FEATURES**

- Select systems with ENERGY STAR® certification
- + Select systems with built-in occupancy sensor
- + Select systems with humidity control
- + Low ambient cooling
- Optional Wi-Fi® for smart phone control
- + High-heating capability
- + Single and multi-zone outdoor unit compatibility
- + Built-in basepan heater
- 24V Interface Kit compatibility\*



18-48k BTUh

Up to **26.0 SEER2** 

Up to **10.5 HSPF2** 



**38MGRB Outdoor Unit** SIZE: 48R

**38MGHB** High Heat Outdoor Unit


SIZES: 36HH/48H



**38MGRB Outdoor Unit** SIZE: 18R



38MGRB Outdoor Unit SIZE: 36R 38MGHB High Heat Outdoor Unit SIZES: 24HH/30HH



Multi-zone outdoor units can pair with up to five of the indoor units

## LIGHT COMMERCIAL

## PREFERRED<sup>™</sup> SERIES

36-58k BTUh

Up to **19.8 SEER2** 

Up to **10.2 HSPF2** 



38MBRC Outdoor Unit SIZES: 48/58



38MBRC Outdoor Unit SIZE: 36



40MBCAQ Cassette SIZES: 36/48



40MBDAQ High Static Slim Ducted SIZES: 36/48



**40MBDAQ High Static Slim Ducted** SIZE: 58



#### **KEY FEATURES**

- Broad product lineup that includes bigger and stronger commercial products
- + Low ambient cooling
- Optional Wi-Fi® for smart phone control
- + Longer piping length
- Hultiple unit options for a wide range of applications
- + Flexible installation
- Competitive pricing
- + 24V Interface Kit compatibility\*



**40MBDQ Ducted** SIZES: 36/48



40MBDQ Ducted SIZE: 58



**40MBFQ Console** SIZES: 36/48/58



**40MBAB Air Handler** SIZES: 36/48/60

## CONTACT US TODAY

#### bryantductless.com

A Carrier Company ©2023 Carrier. All Rights Reserved. 01-DLS-030-BR-01 | 12/2023



